

LED T8 Batten NL161X-NL166X


Features

- Designed for LED T8 tube
- Models suggestions: LED T8 Type A and Type C
- Customized wiring, available on request



Diagrams


Dimensions:



Prosperity Lamps & Components Ltd.

Tel: (852) 2511 0022 Fax: (852) 2511 0082 Web: www.prosperitylamps.com Email: info@prosperitylamps.com

Circuit:



Standards



Applications


Home


Office


Shopping mall


Hotel


Supermarket


Restaurant


Parking


School


Warehouse


Factory


Hospital


Gallery


Museum


Airport


Station

Technical Data	
Model	
NL161X-T8-S600	600mm T8 x1
NL162X-T8-S1200	1200mm T8 x1
NL163X-T8-S1500	1500mm T8 x1

NL164X-T8-T600	600mm T8 x2
NL165X-T8-T1200	1200mm T8 x2
NL166X-T8-T1500	1500mm T8 x2
Mechanical	
Length L [mm]	620 / 1230 / 1530 / 620 / 1230 / 1530
Width W [mm]	48 / 48 / 48 / 102 / 102 / 102
Height H [mm]	80 / 80 / 80 / 79 / 79 / 79
Material	Body: White powder coated, sheet steel
Standard Compliance	
CE-LVD	EN60598
Electrical Class	I
Other	
Operation Temperature	-10°C ~ 40°C
Storage Temperature	-20°C ~ 60°C